

Bronx Psychiatric Center Land Use Improvement Project

Draft Environmental Impact Statement (DEIS)

Lead Agency:

Empire State Development
633 Third Avenue
New York, NY 10017

Prepared by:

AKRF, Inc. and SiMCO Engineering P.C.

August 2019

BRONX PSYCHIATRIC CENTER LAND USE IMPROVEMENT PROJECT
Draft Environmental Impact Statement (DEIS)

Project Location: The proposed project is located on the northern portion of the New York State Office of Mental Health Bronx Psychiatric Center campus located at 1500 Waters Place in the Morris Park section of the Bronx, New York.

Lead Agency: NYS Urban Development Corporation
d/b/a
Empire State Development (ESD)
633 Third Avenue
New York, NY 10017
(212) 803-3253

Lead Agency Contact: Soo Kang, Senior Director, Planning and Environmental Review

Applicant/Project Sponsors: Simone Development Companies
1250 Waters Place
Bronx, NY 10461

Preparers: AKRF, Inc.
440 Park Avenue South
New York, NY 10016
and
SiMCO Engineering, P.C.
80 Maiden Lane
New York, NY 10038

Environmental Counsel: Sive Paget Riesel
560 Lexington Avenue
New York, NY 10022

Acceptance Date: August 15, 2019

This DEIS is available for review on the Empire State Development website at <https://esd.ny.gov/bronx-psych-redevelopment-project>

For questions and comments please contact: BronxPsychiatric@esd.ny.gov

Table of Contents

Executive Summary	S-1
1: Project Description	1-1
A. Identification of the Proposed Project.....	1-1
B. Project Description and Purpose and Need	1-2
Site Conditions and History	1-2
Project Description	1-2
Purpose and Need.....	1-7
C. Discretionary Approvals	1-9
D. Analysis Framework for Environmental Review	1-9
The Future Without the Proposed Project	1-10
The Future With the Proposed Project	1-10
Environmental Review Process.....	1-11
2: Land Use, Zoning, and Public Policy	2-1
A. Introduction.....	2-1
Principal Conclusions.....	2-1
B. Methodology	2-1
C. Existing Conditions.....	2-2
Land Use	2-2
Zoning	2-4
Public Policy	2-6
D. The Future Without the Proposed Project—2023	2-9
Land Use	2-9
Zoning and Public Policy	2-10
E. The Future With the Proposed Project—2023	2-10
Land Use	2-10
Zoning	2-10
Public Policy	2-11
F. The Future Without the Proposed Project—2028	2-11
Land Use	2-11
Zoning and Public Policy	2-12
G. The Future With the Proposed Project—2028	2-12
Land Use	2-12
Zoning	2-13
Public Policy	2-13
H. Consistency with New York City Waterfront Revitalization Program and New York State Coastal Zone Management Program	2-13
Consistency of Proposed Project with the Waterfront Revitalization Program Policies..	2-14

Bronx Psychiatric Center Land Use Improvement Project

3: Socioeconomic Conditions3-1

- A. Introduction 3-1
 - Principal Conclusions 3-1
- B. Methodology..... 3-2
 - Background..... 3-2
 - Determining Whether A Socioeconomic Assessment Is Appropriate 3-3
 - Analysis Format..... 3-4
 - Project Site..... 3-5
 - Study Area 3-5
 - Data Sources 3-5
- C. Preliminary Assessment 3-6
 - Indirect Residential Displacement..... 3-6
 - Indirect Business Displacement..... 3-11

4: Community Facilities4-1

- A. Introduction 4-1
 - Principal Conclusions - 4-1
 - Potential Indirect Effects on Public Schools 4-2
- B. Preliminary Screening 4-2
 - Direct Effects 4-2
 - Indirect Effects..... 4-2
- C. Potential Indirect Effects on Public Elementary and Intermediate Schools 4-3
 - Methodology..... 4-3
 - Existing Conditions 4-4
 - The Future Without the Proposed Project—2028..... 4-6
 - The Future With the Proposed Project—2028..... 4-7

5: Open Space 5-1

- A. Introduction 5-1
 - Principal Conclusions 5-1
- B. Direct Effects Assessment..... 5-2
 - Methodology..... 5-2
 - Existing Conditions 5-2
 - The Future Without the Proposed Project..... 5-3
 - The Future With the Proposed Project..... 5-3
- C. Indirect Effects Assessment..... 5-4
 - Methodology..... 5-4
 - Existing Conditions 5-7
 - Study Area Open Spaces 5-8
 - Adequacy of Open Spaces 5-9
- D. The Future Without the Proposed Project—2023 5-10
 - Study Area Population..... 5-10
 - Study Area Open Spaces 5-10
 - Adequacy of Open Spaces 5-10
- E. The Future With the Proposed Project—2023..... 5-11
 - Study Area Population..... 5-11
 - Study Area Open Spaces 5-11
 - Adequacy of Open Spaces 5-11

F.	The Future Without the Proposed Project—2028	5-12
	Study Area Population	5-12
	Study Area Open Spaces	5-13
	Adequacy of Open Spaces.....	5-13
G.	The Future With the Proposed Project—2028	5-13
	Study Area Open Spaces	5-14
	Adequacy of Open Spaces.....	5-14
H.	Impact Significance.....	5-15
	Impact Significance—2023	5-15
	Impact Significance—2028	5-16
6: Shadows		6-1
A.	Introduction	6-1
	Shadow Assessment Requirement.....	6-1
	Principal Conclusions.....	6-1
B.	Definitions and Methodology	6-1
	Definitions	6-2
	Methodology	6-2
C.	Preliminary Screening Assessment	6-3
	Tier 1 Screening Assessment	6-3
	Tier 2 Screening Assessment	6-4
	Tier 3 Screening Assessment	6-4
D.	Detailed Analysis	6-5
	Analysis Results	6-5
7: Historic and Cultural Resources		7-1
A.	Introduction	7-1
	Principal Conclusions.....	7-1
B.	Existing Conditions.....	7-1
	Project Site	7-1
	Study Area.....	7-2
8: Urban Design and Visual Resources		8-1
A.	Introduction	8-1
	Principal Conclusions.....	8-1
B.	Methodology	8-1
C.	Existing Conditions.....	8-2
	Urban Design.....	8-2
	Visual Resources	8-5
D.	The Future Without the Proposed Project—2023	8-6
	Project Site	8-6
	Effects of Other Future Projects.....	8-6
E.	The Future With the Proposed Project—2023	8-6
	Urban Design.....	8-6
	Visual Resources	8-8
F.	The Future Without the Proposed Project—2028	8-9
G.	The Future With the Proposed Project—2028	8-10
	Urban Design.....	8-10
	Visual Resources	8-11

Bronx Psychiatric Center Land Use Improvement Project

9: Natural Resources9-1

- A. Introduction 9-1
 - Principal Conclusions 9-1
- B. Effects Assessment 9-2
 - Methodology 9-2
 - Regulatory Context 9-2
 - Existing Conditions 9-3
 - The Future Without the Proposed Project—2023 9-6
 - The Future With the Proposed Project—2023 9-6
 - The Future Without the Proposed Project—2028 9-9
 - The Future With the Proposed Project—2028 9-9
- C. References 9-11

Chapter 10: Hazardous Materials 10-1

- A. Introduction 10-1
 - Principal Conclusions 10-1
- B. Existing Conditions 10-2
 - Topography and Subsurface Conditions 10-2
 - Assessments and Subsurface Investigations 10-2
 - Building Hazardous Materials 10-4
- C. The Future Without the Proposed Project 10-4
- D. The Future With the Proposed Project 10-5

11: Water and Sewer Infrastructure 11-1

- A. Introduction 11-1
- B. Principal Conclusions 11-1
 - Phase I 11-2
 - Phase II 11-2
- C. Methodology 11-2
 - Water Supply 11-2
 - Wastewater and Stormwater Conveyance and Treatment 11-3
- D. Existing Conditions 11-3
 - Conveyance System 11-3
 - Sanitary Flows 11-4
 - Stormwater Flows 11-5
- E. The Future Without the Proposed Project—2023 11-5
 - Conveyance System 11-6
 - Sanitary Flows 11-6
 - Stormwater Flows 11-6
- F. The Future With the Proposed Project—2023 11-6
 - Water Supply 11-7
 - Conveyance System 11-7
 - Sanitary Flows 11-7
 - Stormwater Flows 11-9
- G. The Future Without the Proposed Project—2028 11-9
 - Conveyance System 11-9
 - Sanitary Flows 11-9
 - Stormwater Flows 11-10

H. The Future With the Proposed Project—2028	11-10
Water Supply	11-10
Conveyance System	11-10
Sanitary Flows	11-10
Stormwater Flows	11-12
12: Solid Waste and Sanitation Services	12-1
A. Introduction	12-1
Principal Conclusions	12-1
B. Methodology	12-2
C. Existing Conditions	12-2
Description of Current Solid Waste Sanitation Services	12-2
Solid Waste Generation on the Project Site	12-4
D. The Future Without the Proposed Project	12-4
E. The Future With the Proposed Actions—2023	12-5
F. The Future With the Proposed Actions—2028	12-8
13: Energy	13-1
A. Introduction	13-1
14: Transportation	14-1
A. Introduction	14-1
Project Description	14-1
Principal Conclusions	14-2
B. Preliminary Analysis Methodology and Screening Assessment	14-6
Level 1 Screening Assessment	14-6
Level 2 Screening Assessment	14-13
C. Transportation Analysis Methodologies	14-20
Traffic Operations	14-20
Transit Operations	14-24
Pedestrian Operations	14-26
Vehicular and Pedestrian Safety Evaluation	14-29
Parking Conditions Assessment	14-29
Presentation of Detailed Analyses	14-30
D. Detailed Traffic Analysis: Surface Streets	14-31
Existing Conditions	14-31
The Future Without the Proposed Project (Without HRP Improvements)	14-40
The Future With the Proposed Project (Without HRP Improvements)	14-52
The Future Without the Proposed Project (With HRP Improvements)	14-64
The Future With the Proposed Project (With HRP Improvements)	14-73
E. Detailed Traffic Analysis: Hutchinson River Parkway	14-85
Existing Conditions	14-85
The Future Without the Proposed Project (Without HRP Improvements)	14-91
The Future With the Proposed Project (Without HRP Improvements)	14-95
The Future Without the Proposed Project (With HRP Improvements)	14-100
The Future With the Proposed Project (With HRP Improvements)	14-106
F. Detailed Transit Analysis	14-111
Transit Study Areas	14-111
Bus Line-Haul Analysis	14-114

Bronx Psychiatric Center Land Use Improvement Project

G. Detailed Pedestrian Analysis 14-119
Existing Conditions 14-119
The Future Without the Proposed Project (Without HRP Improvements) 14-120
The Future With the Proposed Project (Without HRP Improvements) 14-125
The Future Without the Proposed Project (With HRP Improvements) 14-128
The Future With the Proposed Project (With HRP Improvements) 14-131
H. Vehicular and Pedestrian Safety Evaluation..... 14-134
Eastchester Road and Waters Place 14-136
I. Parking Assessment..... 14-136

15: Air Quality 15-1
A. Introduction 15-1
Principal Conclusions 15-1
B. Pollutants for Analysis..... 15-2
Carbon Monoxide 15-2
Nitrogen Oxides, VOCs, and Ozone..... 15-3
Lead 15-3
Respirable Particulate Matter—PM₁₀ and PM_{2.5}..... 15-3
Sulfur Dioxide 15-4
Noncriteria Pollutants 15-4
C. Air Quality Regulations, Standards, and Benchmarks 15-4
National and State Air Quality Standards..... 15-4
NAAQS Attainment Status and State Implementation Plans 15-6
D. Methodology for Predicting Pollutant Concentrations 15-8
Introduction 15-8
Mobile Sources 15-8
Parking Facilities 15-12
Stationary Sources 15-13
E. Existing Conditions 15-18
F. The Future Without the Proposed Project—2023 15-18
Mobile Sources 15-18
Stationary Sources 15-19
G. The Future With the Proposed Project—2023..... 15-20
Mobile Sources 15-20
Stationary Sources 15-21
H. The Future Without the Proposed Project—2028 15-22
Mobile Sources 15-22
Stationary Sources 15-22
I. The Future With the Proposed Project—2028..... 15-23
Mobile Sources 15-23
Stationary Sources 15-26

16: Climate Change 16-1
A. Introduction 16-1
Principal Conclusions 16-1
B. Greenhouse Gas Emissions 16-3
Pollutants of Concern 16-3
Policy, Regulations, Standards, and Benchmarks for Reducing GHG Emissions..... 16-4
Methodology..... 16-6

Projected GHG Emissions.....	16-9
Consistency with the Citywide GHG Reduction Goals	16-12
C. Resilience to Climate Change	16-13
Development of Policy to Improve Climate Change Resilience.....	16-14
Resilience of the Proposed Project to Climate Change.....	16-15
17: Noise.....	17-1
A. Introduction.....	17-1
Principal Conclusions.....	17-1
B. Acoustical Fundamentals	17-1
“A”-Weighted Sound Level (dBA).....	17-2
Sound Level Descriptors	17-2
C. Noise Standards and Criteria.....	17-3
New York CEQR Noise Criteria.....	17-3
D. Existing Noise Levels	17-3
Equipment Used During Noise Monitoring	17-4
Noise Survey Results	17-4
E. New York State Office of Mental Health Bronx Behavioral Health Center Facility....	17-4
F. Noise Attenuation Measures	17-5
G. Mechanical Equipment.....	17-5
18: Public Health.....	18-1
A. Introduction.....	18-1
19: Neighborhood Character	19-1
A. Introduction.....	19-1
Principal Conclusions.....	19-1
B. Methodology	19-2
C. Preliminary Assessment.....	19-2
Defining Features	19-2
Assessment of the Potential to Affect the Defining Features of the Neighborhood —2023.....	19-6
Assessment of the Potential to Affect the Defining Features of the Neighborhood —2028.....	19-11
20: Construction.....	20-1
A. Introduction.....	20-1
Principal Conclusions.....	20-1
B. Governmental Coordination and Oversight	20-3
C. Construction Phasing and Schedule	20-4
D. Construction Description	20-5
General Construction Practices	20-5
General Construction Tasks	20-6
Number of Construction Workers and Material Deliveries	20-9
E. The Future Without the Proposed Project	20-10
F. The Future With the Proposed Project	20-10
Transportation Systems	20-11
Air Quality.....	20-51
Noise	20-55

Bronx Psychiatric Center Land Use Improvement Project

Vibration20-63
Other Technical Areas20-65

21: Alternatives.....21-1

A. Introduction21-1
Principal Conclusions21-1

B. No-Action Alternative21-2
Description of the No-Action Alternative21-2

C. No Unmitigated Significant Impacts Alternative21-7
Alternative Identification21-7
Transportation.....21-7
Construction.....21-8

D. Reduced Density Alternative.....21-9
Description of the Reduced Density Alternative21-9
Comparison of the Reduced Density Alternative to the Proposed Project21-10

Chapter 22: Mitigation22-1

A. Introduction22-1
Principal Conclusions22-1

B. Transportation.....22-3
Traffic—Intersections.....22-3
Traffic—Freeway Facilities (HRP)22-61
Transit.....22-63

C. Air Quality.....22-64

D. Construction22-65
Traffic22-65

23: Unavoidable Adverse Impacts23-1

A. Introduction23-1

B. Transportation.....23-1

C. Construction23-1
Traffic23-1

24: Growth-Inducing Aspects of the Proposed Project.....24-1

A. Introduction24-1

25: Irreversible and Irretrievable Commitment of Resources.....25-1

26: Cumulative Effects.....26-1

A. Introduction26-1

B. Summary of Cumulative Effects26-1

APPENDICES

Appendix A	New York City Waterfront Revitalization Program Consistency Assessment Form
Appendix B	Historic Resources
Appendix C	Natural Resources
Appendix D	Smart Growth Impact Statement
Appendix E	Construction

List of Tables

S-1	Proposed Program.....	S-3
S-2	Summary of Proposed Project Buildings.....	S-6
S-3	Summary of Significant Adverse Traffic Impacts.....	S-17
S-4	Summary of Significant Adverse Transit (Bus Line-Haul) Impacts.....	S-19
1-1	Proposed Program.....	1-3
1-2	Summary of Proposed Project Buildings.....	1-6
2-1	Zoning Districts Located in the Study Area.....	2-5
2-2	2023 and 2028 No Build Projects.....	2-9
3-1	Annual Average and Median Household Income (2006–2010, 2012–2016 ACS).....	3-7
3-2	Median Gross Monthly Rent (2006–2010, 2012–2016 ACS).....	3-7
3-3	Monthly Market-Rate Rents in the Study Area.....	3-8
3-4	Percentage of Owner-Occupied Units and Renter-Occupied Units (2006–2010, 2012–2016 ACS).....	3-8
3-5	Estimated Income for the Proposed Accessory Dwelling Units.....	3-9
3-6	Study Area Population Estimates and Projection.....	3-10
3-7	Proposed Project’s Contribution to Study Area Population.....	3-11
3-8	Estimated Employees in ½-Mile Study Area, Bronx, and New York City.....	3-12
4-1	Preliminary Screening Analysis Criteria: Bronx.....	4-3
4-2	Study Area Public Schools.....	4-5
4-3	Estimated Number of New Students Introduced by Development in the 2028 No-Action Condition.....	4-7
4-4	Estimated Public School Enrollment, Capacity, and Utilization: 2028 With-Action Condition.....	4-8
5-1	Changes to Project Site Publicly Accessible Open Space with the Proposed Project	5-3
5-2	Nonresidential Open Space Study Area Census Tracts.....	5-7
5-3	Residential Open Space Study Area Census Tracts.....	5-8
5-4	Non-Residential Study Area Existing Publicly Accessible Open Space Inventory....	5-8
5-5	Residential Study Area Existing Publicly Accessible Open Space Inventory.....	5-9
5-6	No-Action Condition: Adequacy of Open Space Resources—Non-Residential Study Area Phase I (2023).....	5-10
5-7	No-Action Condition: Adequacy of Open Space Resources—Residential Study Area Phase I (2023).....	5-11
5-8	With-Action Condition: Adequacy of Open Space Resources—Non-Residential Study Area Phase I (2023).....	5-12
5-9	With-Action Condition: Adequacy of Open Space Resources—Residential Study Area Phase I (2023).....	5-12
5-10	No-Action Condition: Adequacy of Open Space Resources—Non-Residential Study Area Phase I (2028).....	5-13
5-11	No-Action Condition: Adequacy of Open Space Resources—Residential Study Area Phase I (2028).....	5-13

5-12	With-Action Condition: Adequacy of Open Space Resources—Non-Residential Study Area Phase II (2028).....	5-14
5-13	With-Action Condition: Adequacy of Open Space Resources—Residential Study Area Phase II (2028)	5-14
5-14	Impact Significance—Non-Residential Study Area Phase I (2023).....	5-15
5-15	Impact Significance—Residential Study Area Phase I (2023).....	5-15
5-16	Impact Significance—Non-Residential Study Area Phase II (2028)	5-16
5-17	Impact Significance—Residential Study Area Phase II (2028).....	5-16
6-1	Incremental Shadow Durations	6-5
11-1	Existing Water Consumption and Sewage Generation.....	11-5
11-2	Existing Surface Coverage	11-5
11-3	No-Action Water Consumption and Sewage Generation.....	11-6
11-4	Total Proposed Project Water Consumption and Sewage Generation for Phase I...	11-8
11-5	Proposed Surface Coverage of Phase I.....	11-9
11-6	Total Proposed Project Water Consumption and Sewage Generation for Phase II	11-11
11-7	Proposed Surface Coverage of Phase II and Total Buildout	11-12
12-1	With-Action Solid Waste Generation on the Project Site—2023.....	12-6
12-2	Comparison of Weekly Solid Waste Generation in Tons on the Project Site —2023	12-7
12-3	With-Action Solid Waste Generation on the Project Site—2028.....	12-8
12-4	Comparison of Weekly Solid Waste Generation in Tons on the Project Site —2028	12-9
14-1	Proposed Development Program.....	14-2
14-2	Summary of Significant Adverse Traffic Impacts.....	14-3
14-3	Summary of Significant Adverse Transit (Bus Line-Haul) Impacts	14-5
14-4	Travel Demand Assumptions	14-7
14-5	Trip Generation Summary: Phase I Completion	14-11
14-6	Trip Generation Summary: Phase II Full Build-Out	14-11
14-7	Traffic Level 2 Screening Analysis Results—Selected Analysis Locations	14-17
14-8	Pedestrian Level 2 Screening Analysis Results—Selected Analysis Locations.....	14-19
14-9	LOS Criteria for Signalized Intersections.....	14-21
14-10	LOS Criteria for Unsignalized Intersections	14-22
14-11	LOS Criteria for Freeway Facilities and Segments	14-23
14-12	LOS Criteria for Subway Station Elements.....	14-24
14-13	Significant Adverse Impact Guidance for Stairs and Passageways.....	14-25
14-14	LOS Criteria for Pedestrian Elements	14-27
14-15	Significant Adverse Impact Guidance for Sidewalks	14-28
14-16	Significant Adverse Impact Guidance for Corners and Crosswalks.....	14-29
14-17	Summary of Existing Traffic Analysis Results	14-32
14-18	Existing Conditions LOS Analysis: Signalized Intersections.....	14-33
14-19	Existing Conditions LOS Analysis Unsignalized Intersections	14-36
14-20	No-Action Projects	14-40
14-21	Summary of 2023 No-Action Without HRP Improvements Traffic Analysis Results	14-44
14-22	Existing and 2023 No-Action Without HRP Improvements Conditions LOS Analysis: Signalized Intersections	14-45
14-23	Existing and 2023 No-Action Without HRP Improvements Conditions LOS Analysis Unsignalized Intersections	14-49

Bronx Psychiatric Center Land Use Improvement Project

14-24 Summary of 2023 With-Action Without HRP Improvements Traffic Analysis Results 14-53

14-25 Marconi Street and Project Driveway—2023 With-Action Signal Timing/Phasing Plan 14-54

14-26 2023 No-Action and With-Action Without HRP Improvements Conditions
LOS Analysis: Signalized Intersections..... 14-55

14-27 2023 No-Action and With-Action Without HRP Improvements Conditions
LOS Analysis: Unsignalized Intersections..... 14-59

14-28 Summary of 2028 No-Action with HRP Improvements Traffic Analysis Results . 14-65

14-29 Existing and 2028 No-Action with HRP Improvements Conditions
LOS Analysis Signalized Intersections..... 14-66

14-30 Existing and 2028 No-Action HRP Hrp Improvements Conditions
LOS Analysis Unsignalized Intersections..... 14-70

14-31 Summary of 2028 With-Action with HRP Improvements Traffic Analysis Results 14-74

14-32 Marconi Street and Project Driveway—2028 With-Action Signal Timing/Phasing Plan 14-74

14-33 2028 No-Action and With-Action with HRP Improvements Conditions
LOS Analysis: Signalized Intersections..... 14-75

14-34 2028 No-Action and With-Action with HRP Improvements Conditions
LOS Analysis: Unsignalized Intersections..... 14-79

14-35 Northbound HRP ATR Volumes 14-86

14-36 Southbound HRP ATR Volumes 14-86

14-37 Existing Northbound HRP Traffic Operations Summary Weekday AM Peak Period 14-87

14-38 Existing Northbound HRP Traffic Operations Summary Weekday MD Peak Period 14-87

14-39 Existing Northbound HRP Traffic Operations Summary Weekday PM Peak Period 14-88

14-40 Existing Southbound HRP Traffic Operations Summary Weekday AM Peak Period 14-88

14-41 Existing Southbound HRP Traffic Operations Summary Weekday MD Peak Period 14-89

14-42 Existing Southbound HRP Traffic Operations Summary Weekday PM Peak Period 14-89

14-43 2023 No-Action Without HRP Improvements Northbound HRP ATR Volumes .. 14-90

14-44 2023 No-Action Without HRP Improvements Southbound HRP ATR Volumes .. 14-91

14-45 2023 No-Action Without HRP Improvements Northbound HRP Traffic Operations
Summary Weekday AM Peak Period 14-92

14-46 2023 No-Action Without HRP Improvements Northbound HRP Traffic Operations
Summary Weekday MD Peak Period 14-92

14-47 2023 No-Action Without HRP Improvements Northbound HRP Traffic Operations
Summary Weekday PM Peak Period 14-93

14-48 2023 No-Action Without HRP Improvements Southbound HRP Traffic Operations
Summary Weekday AM Peak Period 14-93

14-49 2023 No-Action Without HRP Improvements Southbound HRP Traffic Operations
Summary Weekday MD Peak Period 14-94

14-50	2023 No-Action Without HRP Improvements Southbound HRP Traffic Operations Summary Weekday PM Peak Period.....	14-94
14-51	2023 With-Action Without HRP Improvements Northbound HRP ATR Volumes	14-96
14-52	2023 With-Action Without HRP Improvements Southbound HRP ATR Volumes	14-96
14-53	2023 With-Action Without HRP Improvements Northbound HRP Traffic Operations Summary Weekday AM Peak Period.....	14-97
14-54	2023 With-Action Without HRP Improvements Northbound HRP Traffic Operations Summary Weekday MD Peak Period.....	14-97
14-55	2023 With-Action Without HRP Improvements Northbound HRP Traffic Operations Summary Weekday PM Peak Period.....	14-98
14-56	2023 With-Action Without HRP Improvements Southbound HRP Traffic Operations Summary Weekday AM Peak Period.....	14-98
14-57	2023 With-Action Without HRP Improvements Southbound HRP Traffic Operations Summary Weekday MD Peak Period.....	14-99
14-58	2023 With-Action Without HRP Improvements Southbound HRP Traffic Operations Summary Weekday PM Peak Period.....	14-99
14-59	2028 No-Action with HRP Improvements Northbound HRP ATR Volumes.....	14-101
14-60	2028 No-Action with HRP Improvements Southbound HRP ATR Volumes.....	14-102
14-61	2028 No-Action with HRP Improvements Northbound HRP Traffic Operations Summary Weekday AM Peak Period.....	14-103
14-62	2028 No-Action with HRP Improvements Northbound HRP Traffic Operations Summary Weekday MD Peak Period.....	14-103
14-63	2028 No-Action with HRP Improvements Northbound HRP Traffic Operations Summary Weekday PM Peak Period.....	14-104
14-64	2028 No-Action with HRP Improvements Southbound HRP Traffic Operations Summary Weekday AM Peak Period.....	14-104
14-65	2028 No-Action with HRP Improvements Southbound HRP Traffic Operations Summary Weekday MD Peak Period.....	14-105
14-66	2028 No-Action with HRP Improvements Southbound HRP Traffic Operations Summary Weekday PM Peak Period.....	14-105
14-67	2028 With-Action with HRP Improvements Northbound HRP ATR Volumes...	14-107
14-68	2028 With-Action with HRP Improvements Southbound HRP ATR Volumes...	14-107
14-69	2028 With-Action with HRP Improvements Northbound HRP Traffic Operations Summary Weekday AM Peak Period.....	14-108
14-70	2028 With-Action with HRP Improvements Northbound HRP Traffic Operations Summary Weekday MD Peak Period.....	14-108
14-71	2028 With-Action with HRP Improvements Northbound HRP Traffic Operations Summary Weekday PM Peak Period.....	14-109
14-72	2028 With-Action with HRP Improvements Southbound HRP Traffic Operations Summary Weekday AM Peak Period.....	14-109
14-73	2028 With-Action with HRP Improvements Southbound HRP Traffic Operations Summary Weekday MD Peak Period.....	14-110
14-74	2028 With-Action Southbound with HRP Improvements HRP Traffic Operations Summary Weekday PM Peak Period.....	14-110
14-75A	2023 Project Increment—Bus Trips By Route.....	14-114
14-75B	2028 Project Increment—Bus Trips By Route.....	14-114

Bronx Psychiatric Center Land Use Improvement Project

14-76	Existing Conditions Weekday Local Bus Analysis	14-115
14-77	2023 No-Action Weekday Local Bus Analysis	14-116
14-78	2023 With-Action Weekday Local Bus Analysis	14-117
14-79	2028 No-Action Weekday Local Bus Analysis	14-118
14-80	2028 With-Action Weekday Local Bus Analysis	14-119
14-81	Summary of Existing Pedestrian Analysis Results	14-120
14-82	Existing Conditions: Sidewalk Analysis.....	14-121
14-83	Existing Conditions: Corner Analysis.....	14-121
14-84	Existing Conditions: Crosswalk Analysis.....	14-122
14-85	Summary of 2023 No-Action Without HRP Improvements Pedestrian Analysis Results.....	14-123
14-86	2023 No-Action Without HRP Improvements: Sidewalk Analysis.....	14-124
14-87	2023 No-Action Without HRP Improvements: Corner Analysis.....	14-124
14-88	2023 No-Action Without HRP Improvements: Crosswalk Analysis.....	14-125
14-89	Summary of 2023 With-Action Without HRP Improvements Pedestrian Analysis Results.....	14-126
14-90	2023 With-Action Without HRP Improvements: Sidewalk Analysis.....	14-127
14-91	2023 With-Action Without HRP Improvements: Corner Analysis	14-127
14-92	2023 With-Action Without HRP Improvements: Crosswalk Analysis.....	14-128
14-93	Summary of 2028 No-Action with HRP Improvements Pedestrian Analysis Results	14-129
14-94	2028 No-Action with HRP Improvements: Sidewalk Analysis.....	14-130
14-95	2028 No-Action with HRP Improvements: Corner Analysis.....	14-130
14-96	2028 No-Action with HRP Improvements: Crosswalk Analysis.....	14-131
14-97	Summary of 2028 With-Action with HRP Improvements Pedestrian Analysis Results	14-132
14-98	2028 With-Action with HRP Improvements: Sidewalk Analysis.....	14-133
14-99	2028 With-Action with HRP Improvements: Corner Analysis	14-134
14-100	2028 With-Action with HRP Improvements: Crosswalk Analysis.....	14-134
14-101	Crash Summary.....	14-135
14-102	Vehicle and Pedestrian Crash Details	14-136
14-103	Proposed Project—2023 With-Action Parking Demand and Utilization.....	14-137
14-104	Proposed Project—2028 With-Action Parking Demand and Utilization.....	14-137
15-1	National Ambient Air Quality Standards (NAAQS)	15-5
15-2	Background Pollutant Concentrations for Mobile Source Sites.....	15-11
15-3	Mobile Source Analysis Sites	15-12
15-4	Emission Rates and Stack Parameters for Proposed Buildings.....	15-17
15-5	Representative Monitored Ambient Air Quality Data	15-18
15-6	Maximum Predicted 8-Hour Average CO No-Action Concentrations—2023	15-19
15-7	Maximum Predicted 24-Hour Average PM ₁₀ No-Action Concentrations—2023 (µg/m ³).....	15-19
15-8	Maximum Predicted 8-Hour CO With-Action Concentrations—2023 (ppm).....	15-20
15-9	Maximum Predicted 24-Hour Average PM ₁₀ With-Action Concentrations—2023 (µg/m ³).....	15-21
15-10	Maximum Predicted 24-Hour Average PM _{2.5} Incremental Concentrations—2023 ((µg/m ³).....	15-21
15-11	Maximum Predicted Annual Average PM _{2.5} Incremental Concentrations—2023 (µg/m ³).....	15-21

15-12	Maximum Predicted 8-Hour Average CO No-Action Concentrations—2028.....	15-22
15-13	Maximum Predicted 24-Hour Average PM ₁₀ No-Action Concentrations—2028 (µg/m ³).....	15-23
15-14	Maximum Predicted 8-Hour CO With-Action Concentrations—2028 (ppm)	15-24
15-15	Maximum Predicted 24-Hour Average PM ₁₀ With-Action Concentrations—2028 (µg/m ³).....	15-24
15-16	Maximum Predicted 24-Hour Average PM _{2.5} Incremental Concentrations—2028 (µg/m ³).....	15-25
15-17	Maximum Predicted Annual Average PM _{2.5} Incremental Concentrations—2028 (µg/m ³).....	15-25
15-18	Projected NO ₂ Concentrations and PM _{2.5} Increments from the Heat and Hot Water Systems (µg/m ³)	15-26
16-1	Global Warming Potential (GWP) for Major GHGs	16-4
16-2	Vehicle Miles Traveled Per Year—Full Build Out (Phase II).....	16-9
16-3	Annual Building Operational Emissions—Full Build Out (Phase II)	16-10
16-4	Annual Mobile Source Emissions—Full Build Out (Phase II)(Metric Tons CO ₂ e, 2028).....	16-11
16-5	Summary of Annual GHG Emissions, 2028—Full Build Out (Phase II) (Metric Tons CO ₂ e)	16-11
17-1	Common Noise Levels	17-2
17-2	Required Attenuation Values to Achieve Acceptable Interior Noise Levels	17-3
17-3	Existing Noise Levels (in dBA).....	17-4
20-1	Summary of Primary Agency Construction Oversight.....	20-3
20-2	Preliminary Construction Schedule	20-4
20-3	Average Number of Daily Workers and Trucks by Year and Quarter (Phase I)....	20-10
20-4	Average Number of Daily Workers and Trucks by Year and Quarter (Phase II)...	20-10
20-5	Peak Construction Vehicle Trip Projections (Phase I)	20-13
20-6	Peak Construction Vehicle Trip Projections (Phase II).....	20-13
20-7	Comparison of Incremental Construction (Phase I) and Operational Peak Period Vehicle Trips in PCEs	20-14
20-8	Comparison of Incremental Construction (Phase II) and Operational Peak Period Vehicle Trips in PCEs	20-14
20-9	Phase I Operational and Phase II Construction Cumulative Peak Period Vehicle Trips in PCEs	20-15
20-10	Phase I and Phase II Construction Traffic Level 2 Screening Analysis Results—Selected Analysis Locations	20-17
20-11	2022 Phase I Construction With-Action Condition—Summary of Significant Adverse Traffic Impacts	20-18
20-12A	2022 Phase I Construction With-Action Condition—Recommended Mitigation Measures: Weekday AM Peak Hour	20-19
20-12B	2022 Phase I Construction With-Action Condition—Recommended Mitigation Measures: Weekday PM Peak Hour	20-20
20-13A	2022 Phase I Construction No-Action, With-Action, and Mitigation Condition LOS Analysis Signalized Intersections—Weekday AM Construction Peak Hour	20-22
20-13B	2022 Phase I Construction No-Action, With-Action, and Mitigation Condition LOS Analysis Unsignalized Intersections—Weekday AM Construction Peak Hour.....	20-24
20-13C	2022 Phase I Construction No-Action, With-Action, and Mitigation Condition LOS Analysis Signalized Intersections—Weekday PM Construction Peak Hour.....	20-25

Bronx Psychiatric Center Land Use Improvement Project

20-13D 2022 Phase I Construction No-Action, With-Action, and Mitigation Condition LOS Analysis Unsignalized Intersections—Weekday PM Construction Peak Hour20-28

20-14 2027 Phase II Construction With-Action Condition—Summary of Significant Adverse Traffic Impacts20-33

20-15A 2027 Phase II Construction With-Action Condition—Recommended Mitigation Measures: Weekday AM Peak Hour20-34

20-15B 2027 Phase II Construction With-Action Condition—Recommended Mitigation Measures: Weekday PM Peak Hour20-36

20-16A 2027 Phase II Construction No-Action, With-Action, and Mitigation Condition LOS Analysis Signalized Intersections—Weekday AM Peak Hour20-39

20-16B 2027 Phase II Construction No-Action, With-Action, and Mitigation Condition LOS Analysis Unsignalized Intersections—Weekday AM Peak Hour20-41

20-16C 2027 Phase II Construction No-Action, With-Action, and Mitigation Condition LOS Analysis Signalized Intersections—Weekday PM Peak Hour20-42

20-16D 2027 Phase II Construction No-Action, With-Action, and Mitigation Condition LOS Analysis Unsignalized Intersections—Weekday PM Peak Hour20-45

20-17 Maximum Predicted Annual Average PM_{2.5} Incremental Concentrations Phase II Construction Activities (µg/m³)20-54

20-18 Typical Construction Equipment Noise Emission Levels (dBA)20-58

20-19 Vibration Source Levels for Construction Equipment20-64

21-1 Reduced Density Alternative Compared with the Proposed Project23-10

21-2 Comparison of Proposed Project Phase I to Reduced Density Alternative23-14

21-3 Comparison of Proposed Project Phase II Full Build-Out With Reduced Density Alternative23-14

22-1 2023 With-Action Without HRP Improvements Condition—Summary of Significant Adverse Traffic Impacts22-4

22-2A 2023 With-Action Without HRP Improvements Condition—Recommended Mitigation Measures Weekday AM Peak Hour22-5

22-2B 2023 With-Action Without HRP Improvements Condition—Recommended Mitigation Measures Weekday MD Peak Hour22-8

22-2C 2023 With-Action Without HRP Improvements Condition—Recommended Mitigation Measures Weekday PM Peak Hour22-11

22-3A 2023 No-Action, With-Action, and Mitigation Without HRP Improvements Conditions LOS Analysis Weekday AM Peak Hour—Signalized Intersections22-14

22-3B 2023 No-Action, With-Action, and Mitigation Without HRP Improvements Conditions LOS Analysis Weekday AM Peak Hour—Unsignalized Intersections 22-16

22-3C 2023 No-Action, With-Action, and Mitigation Without HRP Improvements Conditions LOS Analysis Weekday MD Peak Hour—Signalized Intersections22-17

22-3D 2023 No-Action, With-Action, and Mitigation Without HRP Improvements Conditions LOS Analysis Weekday PM Peak Hour—Signalized Intersections22-19

22-3E 2023 No-Action, With-Action, and Mitigation Without HRP Improvements Conditions LOS Analysis Weekday PM Peak Hour—Unsignalized Intersections 22-21

22-4 Summary of On-Street Parking Spaces Removed by Phase I Recommended Traffic Mitigation Measures22-31

22-5 2028 With-Action With HRP Improvements Condition—Summary of Significant Adverse Traffic Impacts22-32

22-6A 2028 With-Action With HRP Improvements Condition—Recommended Mitigation Measures Weekday AM Peak Hour22-33

22-6B	2028 With-Action With HRP Improvements Condition—Recommended Mitigation Measures Weekday MD Peak Hour	22-38
22-6C	2028 With-Action With HRP Improvements Condition—Recommended Mitigation Measures Weekday PM Peak Hour	22-41
22-7A	2028 No-Action, With-Action, and Mitigation With HRP Improvements Conditions LOS Analysis Weekday AM Peak Hour—Signalized Intersections	22-44
22-7B	2028 No-Action, With-Action, and Mitigation With HRP Improvements Conditions LOS Analysis Weekday AM Peak Hour—Unsignalized Intersections	22-46
22-7C	2028 No-Action, With-Action, and Mitigation With HRP Improvements Conditions LOS Analysis Weekday MD Peak Hour—Signalized Intersections	22-47
22-7D	2028 No-Action, With-Action, and Mitigation With HRP Improvements Conditions LOS Analysis Weekday PM Peak Hour—Signalized Intersections	22-49
22-8	Summary of On-Street Parking Spaces Removed by Phase II Recommended Traffic Mitigation Measures	22-61
22-9	Summary of Significant Adverse Transit (Bus Line-Haul) Impacts	22-63
22-10	2023 Mitigated With-Action Condition Bus Line-Haul Analysis	22-63
22-11	2028 Mitigated With-Action Condition Bus Line-Haul Analysis	22-64
22-12	Maximum Predicted Annual Average PM _{2.5} Incremental Concentrations: 2028 With HRP Improvements and Traffic Mitigations (µg/m ³)	22-65

List of Figures

following page

S-1	Project Site Location	S-1
S-2	Project Site	S-2
S-3	Proposed Site Plan—Full Build-out.....	S-3
S-4	Illustrative Axonometric View of the Proposed Project	S-4
S-5	Proposed Site Plan—Phase I.....	S-5
S-6	Proposed Open Space Plan—Full Build-out.....	S-5
1-1	Project Site Location	1-1
1-2	Project Site	1-2
1-3	Proposed Site Plan—Full Build-out.....	1-3
1-4	Illustrative Axonometric View of the Proposed Project	1-4
1-5	Proposed Site Plan—Phase I.....	1-5
1-6	Proposed Open Space Plan—Full Build-Out.....	1-5
2-1	Project Site Location	2-1
2-2	Existing Land Use	2-2
2-3	Existing Zoning.....	2-4
2-4	NYC Coastal Zone Boundary	2-7
2-5	No Builds	2-9
3-1	Socioeconomic Study Area.....	3-5
4-1	Public Elementary and Intermediate Schools Serving the Study Area	4-3
5-1	Proposed Open Space Plan—Full Build-Out.....	5-3
5-2	Non-Residential Open Space Study Area and Resources	5-5
5-3	Residential Open Space Study Area and Resources	5-5
6-1	Proposed Project Structures: Maximum Height.....	6-1
6-2	Tier 1 Assessments	6-3
6-3	Tier 2 Assessments	6-4
6-4	Tier 3 Assessments	6-4
6-5	Detailed Analysis Model.....	6-5
6-6	Detailed Analysis: March 21/September 21	6-5
6-7	Detailed Analysis: May 6/August 6.....	6-5
6-8	Detailed Analysis: June 21.....	6-5
6-9	Detailed Analysis: December 21.....	6-5
8-1	Urban Design and Visual Resources Photograph Key Location Map	8-2
8-2	Aerial Map	8-2
8-3	Urban Design and Visual Resources—Views of the Project Site.....	8-3
8-4	Urban Design and Visual Resources—Views of the Project Site.....	8-3
8-5	Urban Design and Visual Resources—Views of the Study Area	8-4
8-6	Urban Design and Visual Resources—Views of the Study Area	8-4
8-7	Urban Design and Visual Resources—Views of the Project Site.....	8-7
8-8	Urban Design and Visual Resources—Views of the Project Site.....	8-7

List of Figures

8-9	Urban Design and Visual Resources—Views of the Project Site	8-7
9-1	FEMA Preliminary Flood Hazard Map	9-3
9-2	Photograph Key	9-4
9-3	Site Photographs	9-4
9-4	Site Photographs	9-4
9-5	Site Photographs	9-4
14-1	Study Area Transit Map	14-12
14-2A	Phase I Completion Project Generated Vehicle Trips (Without HRP Improvements) Weekday AM Peak Hour.....	14-15
14-2B	Phase I Completion Project Generated Vehicle Trips (Without HRP Improvements) Weekday AM Peak Hour.....	14-15
14-3A	Phase I Completion Project Generated Vehicle Trips (Without HRP Improvements) Weekday Midday Peak Hour.....	14-15
14-3B	Phase I Completion Project Generated Vehicle Trips (Without HRP Improvements) Weekday Midday Peak Hour.....	14-15
14-4A	Phase I Completion Project Generated Vehicle Trips (Without HRP Improvements) Weekday PM Peak Hour	14-15
14-4B	Phase I Completion Project Generated Vehicle Trips (Without HRP Improvements) Weekday PM Peak Hour	14-15
14-5A	Phase II Full Build-Out Project Generated Vehicle Trips (With HRP Improvements) Weekday AM Peak Hour.....	14-15
14-5B	Phase II Full Build-Out Project Generated Vehicle Trips (With HRP Improvements) Weekday AM Peak Hour.....	14-15
14-6A	Phase II Full Build-Out Project Generated Vehicle Trips (With HRP Improvements) Weekday Midday Peak Hour.....	14-15
14-6B	Phase II Full Build-Out Project Generated Vehicle Trips (With HRP Improvements) Weekday Midday Peak Hour.....	14-15
14-7A	Phase II Full Build-Out Project Generated Vehicle Trips (With HRP Improvements) Weekday PM Peak Hour	14-15
14-7B	Phase II Full Build-Out Project Generated Vehicle Trips (With HRP Improvements) Weekday PM Peak Hour	14-15
14-8	Phase I Completion and Phase II Full Build-Out Traffic Analysis Locations/ Highway Elements.....	14-16
14-9	Phase I Completion Project Generated Pedestrian Trips Weekday AM Peak Hour	14-18
14-10	Phase I Completion Project Generated Pedestrian Trips Weekday Midday Peak Hour.....	14-18
14-11	Phase I Completion Project Generated Pedestrian Trips Weekday PM Peak Hour	14-18
14-12	Phase II Full Build-Out Project Generated Pedestrian Trips Weekday AM Peak Hour.....	14-18
14-13	Phase II Full Build-Out Project Generated Pedestrian Trips Weekday Midday Peak Hour.....	14-18
14-14	Phase II Full Build-Out Project Generated Pedestrian Trips Weekday PM Peak Hour	14-18
14-15	Phase I Completion and Phase II Full Build-Out Pedestrian Analysis Locations ...	14-19
14-16A	2015 Existing Traffic Volumes Weekday AM Peak Hour.....	14-32
14-16B	2015 Existing Traffic Volumes Weekday AM Peak Hour.....	14-32
14-17A	2015 Existing Traffic Volumes Weekday Midday Peak Hour	14-32

Bronx Psychiatric Center Land Use Improvement Project

14-17B	2015 Existing Traffic Volumes Weekday Midday Peak Hour	14-32
14-18A	2015 Existing Traffic Volumes Weekday PM Peak Hour	14-32
14-18B	2015 Existing Traffic Volumes Weekday PM Peak Hour	14-32
14-19	No-Action Projects.....	14-40
14-20A	2023 No-Action Traffic Volumes (Without HRP Improvements) Weekday AM Peak Hour	14-43
14-20B	2023 No-Action Traffic Volumes (Without HRP Improvements) Weekday AM Peak Hour	14-43
14-21A	2023 No-Action Traffic Volumes (Without HRP Improvements) Weekday Midday Peak Hour	14-43
14-21B	2023 No-Action Traffic Volumes (Without HRP Improvements) Weekday Midday Peak Hour	14-43
14-22A	2023 No-Action Traffic Volumes (Without HRP Improvements) Weekday PM Peak Hour.....	14-43
14-22B	2023 No-Action Traffic Volumes (Without HRP Improvements) Weekday PM Peak Hour.....	14-43
14-23A	2023 With-Action Traffic Volumes (Without HRP Improvements) Weekday AM Peak Hour	14-53
14-23B	2023 With-Action Traffic Volumes (Without HRP Improvements) Weekday AM Peak Hour	14-53
14-24A	2023 With-Action Traffic Volumes (Without HRP Improvements) Weekday Midday Peak Hour	14-53
14-24B	2023 With-Action Traffic Volumes (Without HRP Improvements) Weekday Midday Peak Hour	14-53
14-25A	2023 With-Action Traffic Volumes (Without HRP Improvements) Weekday PM Peak Hour.....	14-53
14-25B	2023 With-Action Traffic Volumes (Without HRP Improvements) Weekday PM Peak Hour.....	14-53
14-26	No-Action and With-Action Roadway Design: Marconi Street and Project Driveway.....	14-53
14-27A	2028 No-Action Traffic Volumes (With HRP Improvements) Weekday AM Peak Hour	14-65
14-27B	2028 No-Action Traffic Volumes (With HRP Improvements) Weekday AM Peak Hour	14-65
14-28A	2028 No-Action Traffic Volumes (With HRP Improvements) Weekday Midday Peak Hour	14-65
14-28B	2028 No-Action Traffic Volumes (With HRP Improvements) Weekday Midday Peak Hour	14-65
14-29A	2028 No-Action Traffic Volumes (With HRP Improvements) Weekday PM Peak Hour.....	14-65
14-29B	2028 No-Action Traffic Volumes (With HRP Improvements) Weekday PM Peak Hour.....	14-65
14-30A	2028 With-Action Traffic Volumes (With HRP Improvements) Weekday AM Peak Hour	14-73
14-30B	2028 With-Action Traffic Volumes (With HRP Improvements) Weekday AM Peak Hour	14-73
14-31A	2028 With-Action Traffic Volumes (With HRP Improvements) Weekday Midday Peak Hour	14-73

List of Figures

14-31B	2028 With-Action Traffic Volumes (With HRP Improvements) Weekday Midday Peak Hour.....	14-73
14-32A	2028 With-Action Traffic Volumes (With HRP Improvements) Weekday PM Peak Hour.....	14-73
14-32B	2028 With-Action Traffic Volumes (With HRP Improvements) Weekday PM Peak Hour.....	14-73
14-33	Northbound Hutchinson River Parkway Diagram and Segmentation: Existing Condition.....	14-74
14-34	Southbound Hutchinson River Parkway Diagram and Segmentation: Existing Condition.....	14-74
14-35	Southbound Hutchinson River Parkway Diagram and Segmentation: With HRP Improvements Condition.....	14-100
14-36	2015 Existing Pedestrian Volumes Weekday AM Peak Hour.....	14-120
14-37	2015 Existing Pedestrian Volumes Weekday Midday Peak Hour.....	14-120
14-38	2015 Existing Pedestrian Volumes Weekday PM Peak Hour.....	14-120
14-39	2023 No-Action Pedestrian Volumes Weekday AM Peak Hour.....	14-122
14-40	2023 No-Action Pedestrian Volumes Weekday Midday Peak Hour.....	14-122
14-41	2023 No-Action Pedestrian Volumes Weekday PM Peak Hour.....	14-122
14-42	2023 With-Action Pedestrian Volumes Weekday AM Peak Hour.....	14-125
14-43	2023 With-Action Pedestrian Volumes Weekday Midday Peak Hour.....	14-125
14-44	2023 With-Action Pedestrian Volumes Weekday PM Peak Hour.....	14-125
14-45	2028 No-Action Pedestrian Volumes Weekday AM Peak Hour.....	14-128
14-46	2028 No-Action Pedestrian Volumes Weekday Midday Peak Hour.....	14-128
14-47	2028 No-Action Pedestrian Volumes Weekday PM Peak Hour.....	14-128
14-48	2028 With-Action Pedestrian Volumes Weekday AM Peak Hour.....	14-131
14-49	2028 With-Action Pedestrian Volumes Weekday Midday Peak Hour.....	14-131
14-50	2028 With-Action Pedestrian Volumes Weekday PM Peak Hour.....	14-131
15-1	Air Quality Mobile Source Analysis Sites.....	15-12
17-1	Noise Receptor Locations.....	17-3
19-1	Neighborhood Character.....	19-2
20-1	Preliminary Construction Schedule.....	20-4
20-2A	Phase I Construction PCE Vehicle Trips Weekday AM Construction Peak Hour.....	20-16
20-2B	Phase I Construction PCE Vehicle Trips Weekday AM Construction Peak Hour.....	20-16
20-3A	Phase I Construction PCE Vehicle Trips Weekday PM Construction Peak Hour.....	20-16
20-3B	Phase I Construction PCE Vehicle Trips Weekday PM Construction Peak Hour.....	20-16
20-4A	Cumulative Phase II Construction and Phase I Operational PCE Vehicle Trips Weekday AM Construction Peak Hour.....	20-16
20-4B	Cumulative Phase II Construction and Phase I Operational PCE Vehicle Trips Weekday AM Construction Peak Hour.....	20-16
20-5A	Cumulative Phase II Construction and Phase I Operational PCE Vehicle Trips Weekday PM Construction Peak Hour.....	20-16
20-5B	Cumulative Phase II Construction and Phase I Operational PCE Vehicle Trips Weekday PM Construction Peak Hour.....	20-16
20-6	Phase II and Phase I Construction Traffic Analysis Locations.....	20-16

Bronx Psychiatric Center Land Use Improvement Project

20-7A 2022 Phase I Construction No-Action Traffic Volumes Weekday AM Construction Peak Hour..... 20-16

20-7B 2022 Phase I Construction No-Action Traffic Volumes Weekday AM Construction Peak Hour..... 20-16

20-8A 2022 Phase I Construction No-Action Traffic Volumes Weekday PM Construction Peak Hour..... 20-16

20-8B 2022 Phase I Construction No-Action Traffic Volumes Weekday PM Construction Peak Hour..... 20-16

20-9A 2022 Phase I Construction With-Action Traffic Volumes Weekday AM Construction Peak Hour..... 20-16

20-9B 2022 Phase I Construction With-Action Traffic Volumes Weekday AM Construction Peak Hour..... 20-16

20-10A 2022 Phase I Construction With-Action Traffic Volumes Weekday PM Construction Peak Hour..... 20-16

20-10B 2022 Phase I Construction With-Action Traffic Volumes Weekday PM Construction Peak Hour..... 20-16

20-11A 2027 Phase II Construction No-Action Traffic Volumes Weekday AM Construction Peak Hour..... 20-31

20-11B 2027 Phase II Construction No-Action Traffic Volumes Weekday AM Construction Peak Hour..... 20-31

20-12A 2027 Phase II Construction No-Action Traffic Volumes Weekday PM Construction Peak Hour..... 20-31

20-12B 2027 Phase II Construction No-Action Traffic Volumes Weekday PM Construction Peak Hour..... 20-31

20-13A 2027 Phase II Construction With-Action Traffic Volumes Weekday AM Construction Peak Hour..... 20-32

20-13B 2027 Phase II Construction With-Action Traffic Volumes Weekday AM Construction Peak Hour..... 20-32

20-14A 2027 Phase II Construction With-Action Traffic Volumes Weekday PM Construction Peak Hour..... 20-32

20-14B 2027 Phase II Construction With-Action Traffic Volumes Weekday PM Construction Peak Hour..... 20-32

*